

# صحة الأمعاء وفحصها الاستكشافي





## For users of this flipchart

This flipchart has been produced by Cancer Institute NSW as a tool to assist in providing information on bowel cancer and bowel cancer screening to women and men from different cultural backgrounds, particularly those eligible to participate in the National Bowel Cancer Screening Program (NBCSP).

The flipchart has two sections:

**Section 1** explains how bowel cancer develops, the risk factors for bowel cancer, ways to reduce the risk and the signs or symptoms of bowel cancer.

**Section 2** describes the National Bowel Cancer Screening Program and the bowel screening test (why it is so important and how to do it).

The flipchart is designed to be used by bilingual health or community workers /educators talking with community members about bowel screening. It can be used with groups or with an individual.

Users of this flipchart are encouraged to modify the wording provided to suit their particular community.

The flipchart contains a lot of information. However if time is limited, it is possible to use one section only or even just a few pages. The flipchart is designed to be used in whatever way suits the facilitator and participants the best.

## Acknowledgements

This resource draws on earlier work, including:

The flipchart resource 'You're looking good on the outside, but what about the inside? Screening for bowel cancer' developed by Queensland Bowel Cancer Screening Program, Queensland Health, in 2008.

The flipchart resource 'It's not shame, it's a part of life' produced by Menzies School of Health Research (on behalf of the Australian Government Department of Health), to assist health workers to talk with Aboriginal and Torres Strait Islander people about bowel cancer and bowel cancer screening, in 2018.

Illustrations were completed by Julie Haysom.

Cancer Institute NSW gratefully acknowledges the contribution and input into this resource by representatives of the multicultural health, community and education sectors who participated in the consultation and development process.

© Cancer Institute NSW 2018


## Facilitator notes - About bowel cancer

**Bowel cancer is the third most common cancer worldwide (after lung and breast cancers).**

- In Australia, bowel cancer is the second most common cancer in both men and women.
- Bowel cancer often develops without any early signs or symptoms – you can have bowel cancer without knowing it.
- Bowel cancer is one of the most treatable types of cancer if found early. It can be successfully treated in 9 out of 10 cases if detected in the early stages.
- There is a simple, free test you can do at home to find bowel cancer early, which could save your life.

# الجزء 1

حول سرطان الأمعاء





سرطان الأمعاء  
هو ثالث أكثر  
أنواع السرطانات  
شيوعاً في كل  
أنحاء العالم

## Facilitator notes - What is the bowel?

The bowel connects your stomach to your rectum where waste material (faeces) is stored until passed out from the anus.

- The bowel has 3 main parts:
  - The small bowel – takes in the nutrients (goodness) from our food.
  - The large bowel (colon) – takes in water and salt.
  - The rectum – stores the waste material (faeces).
- The bowel helps digest the food we eat.
- Digestion is when our food and drink are broken down into nutrients for our body to use for energy and to build and support our cells.

# ما هي الأمعاء؟



## Facilitator notes - What is bowel cancer?

**Bowel cancer can take many years to develop and may not show any signs or symptoms in the early stages.**


### **How does bowel cancer develop?**

- The bowel is made up of cells.
- For our bowel to stay healthy, old cells are constantly replaced by new cells.
- Sometimes things can go wrong during this process.
- Unlike normal cells, cancer cells don't stop growing. So the cells keep doubling, forming a lump that continues to grow.
- In the bowel, some of these lumps can grow into polyps.
- Polyps are small growths on the lining of the bowel that look a bit like a cherry on a stalk.
- Many polyps are harmless, but some can grow into cancer.
- If polyps are removed, the risk of bowel cancer is reduced.
- If cancerous polyps are not found and removed early, there is a risk that they could grow and eventually spread cancer cells to other parts of the body.



# ما هو سرطان الأمعاء؟

يمكن أن يستغرق بروز سرطان الأمعاء سنوات عديدة، وقد لا تظهر على المصاب أية دلائل أو أعراض في المراحل المبكرة



## Facilitator notes - Who is at risk?

The biggest bowel cancer risk factor for both men and women is being aged 50 years and over. 9 out of 10 bowel cancers are diagnosed in people over the age of 50.

The risk of bowel cancer is also higher for people who have:

- A strong family history. This means having a close family member (such as a parent, sibling or child) who developed bowel cancer under the age of 55, or having more than one close family member who developed bowel cancer at any age.

**Note:** Most (8 out of 10) people who get bowel cancer have no family history of the disease.

- Bowel diseases which cause ongoing inflammation of the bowel.
- Type 2 diabetes.
- Unhealthy lifestyle behaviours (shown in the next slide).

# من هم المعرّضون لإمكانية الإصابة؟

وأكبر عامل لإمكانية  
إصابة الشخص هو إذا  
كان يبلغ أكثر من 50  
سنة من العمر



تشمل عوامل إمكانية الإصابة بسرطان  
الأمعاء، للرجال والنساء معًا، ما يلي:

- السن - إذا كان الشخص يبلغ أكثر  
من 50 سنة من العمر
- وجود إصابات بسرطان الأمعاء  
في تاريخ العائلة
- أمراض موجودة حاليًا في الأمعاء
- الإصابة بالسكري النوع 2
- أسلوب المعيشة غير الصحي

## Facilitator notes - Lifestyle risk factors

**You can reduce your risk of bowel cancer by making healthy lifestyle choices.**

Nearly half of all bowel cancers in Australia can be attributed to lifestyle factors, including:

- Smoking.
- What we eat – i.e. eating foods which are highly processed (like white bread, biscuits and chips), eating red meat and processed meats (like bacon, ham and salami), and not having enough fibre (fibre is found in fruit and vegetables).
- Drinking alcohol.
- Being physically inactive.
- Being overweight or obese.

# عوامل إمكانية الإصابة المتعلقة بأسلوب المعيشة

قد يكون حوالي نصف حالات الإصابة بسرطان الأمعاء في أستراليا ناجمًا عن عوامل ذات علاقة بأسلوب المعيشة، بما في ذلك ما يلي:

- التدخين
- ضعف التغذية
- شرب الكحول
- عدم ممارسة الأنشطة البدنية
- كون الشخص زائد الوزن أو بدينًا

يمكنك تخفيض إمكانية  
إصابتك بسرطان الأمعاء  
باتّباع خيارات أسلوب  
المعيشة الصحي



# Facilitator notes - What can you do to reduce your risk?

You can reduce your risk of bowel cancer by making healthy changes to your lifestyle.

Here are some changes you can make to reduce your risk:

- Quit smoking.
- Eat a healthy diet of wholegrain, wholemeal and high fibre foods such as wholemeal bread, brown rice and porridge. Aim for 2 serves of fruit and 5 serves of vegetables each day.
- Eat less red meat and avoid processed meats (like bacon, ham and salami), as well as highly processed foods like white bread, biscuits and chips.
- Avoid alcohol or reduce the amount you drink.
- Be physically active every day.
- Maintain a healthy body weight.
- If you are aged 50-74, do a bowel screening test every 2 years.

# ما الذي يمكنك أن تفعله لتخفيض إمكانية إصابتك؟

- الإقلاع عن التدخين
- تناول أطعمة غنيّة بالألياف
- تناول كميات أقل من اللحم الأحمر واللحوم المعالجة
- تخفيض كمية ما تشربه من الكحول
- ممارسة أنشطة بدنيّة كل يوم
- المحافظة على وزن صحي
- إذا كنت تبلغ 50-74 سنة من العمر، قم بإجراء فحص استكشافي لأمعائك كل سنتين.



## Facilitator notes - Are there any signs and symptoms?

**Bowel cancer usually has no signs or symptoms in the early stages. This is why regular bowel screening is essential, even if you feel well and everything seems normal.**

However, in some cases signs and symptoms of bowel cancer can include:

- Blood in your bowel movements - there might be blood on the toilet paper or in the water after a bowel movement.
- Unexplained tiredness.
- Stomach pain.
- A sudden and persistent change in toilet habits. For example a person might notice they have looser bowel movements (diarrhoea) or are straining to have a bowel movement (constipation).
- Unexplained weight loss.
- An iron deficiency (anaemia).

**If you have any of these symptoms, it does not necessarily mean that you have bowel cancer, but you should follow up with your doctor.**



# هل هناك أية دلائل أو أعراض؟

لا تكون لسرطان الأمعاء عادةً أية دلائل أو أعراض في المراحل المبكرة.

إلا أنه في بعض الحالات يمكن أن تشمل أعراض سرطان الأمعاء ما يلي:



خسارة الوزن  
بدون سبب



ألم في المعدة  
تغييرات في عادات  
تبرزك



الشعور بتعب  
بدون سبب



وجود دم في  
برازك

# Facilitator notes - About the National Bowel Cancer Screening Program

The National Bowel Cancer Screening Program (the Program) mails out free kits to eligible people aged 50 to 74 for them to complete at home.

- Medicare provides the Program with a list of people who are aged 50 to 74, so that kits can be mailed out to them every 2 years close to their birthday.
- The National Bowel Cancer Screening Program has been funded by the Australian Government since 2006. The Program aims to reduce deaths from bowel cancer through early detection.
- It is one of the most life-saving public health programs in Australia.

# الجزء 2

معلومات عن البرنامج الوطني للفحص الاستكشافي لسرطان الأمعاء



## Facilitator notes - What is a bowel screening test?

**A bowel screening test can detect changes in the bowel long before you would notice any signs or symptoms. If you're aged 50 to 74 and eligible you will be sent a free test kit from the National Bowel Cancer Screening Program every 2 years.**

- A bowel screening test involves taking 2 small stool samples in the privacy of your own home and posting them away for testing.
- Bowel cancer or polyps can grow on the inside of the bowel and can leak tiny amounts of blood which are invisible to the eye.
- The test is looking for any tiny traces of blood in the stool samples which might indicate a growth inside the bowel.
- If found in the early stages, 9 out of 10 bowel cancers can be successfully treated.

# ما هو الفحص الاستكشافي للأمعاء؟

إذا اكتشف سرطان  
الأمعاء في مرحلة مبكرة  
فإنه يمكن معالجته  
بنجاح في 9 من  
كل 10 حالات



- يمكن بالفحص اكتشاف تغييرات في أمعائك قبل مدة طويلة من ظهور أية دلائل أو أعراض
- سيتم إرسال رزمة فحص مجانية كل سنتين إلى الأشخاص البالغين 50-74 سنة من العمر

## Facilitator notes - Who should do a bowel screening test?

Nearly all men and women aged 50-74 should do a test every 2 years.

- However, if you have any signs or symptoms of bowel cancer or a strong family history (see slide 4 for more detail) talk to your doctor as soon as possible as you may need to have some other tests.
- You also may not need to do the test if you have had a colonoscopy in the last 2 years or are seeing your doctor about bowel problems.

# من الذي يجب أن يُجري فحصًا استكشافيًا لأمعائه؟



على جميع الرجال والنساء تقريبًا  
البالغين 50 - 74 سنة من العمر  
إجراء الفحص كل سنتين.

بدلاً من ذلك، تحدّث مع طبيبك إذا:

- كانت لديك أية دلائل أو أعراض لسرطان الأمعاء
- كان هناك تاريخ إصابة بسرطان الأمعاء لدى أفراد عائلتك القريبين
- كان قد أُجري لك مؤخراً تنظير للقولون


## Facilitator notes - What's in the kit?

### **In your kit you will find everything you need to do the test:**


- 2 toilet liners (these are to catch your bowel movement so you can take 2 small samples). These are biodegradable and can be flushed down the toilet when you are done.
- 2 green top collection tubes with collection sticks inside (these tubes are to store your 2 samples and contain a preserving agent).
- 1 ziplock bag with 2 compartments (this is to store your collection tubes and further protect them from touching anything whilst being stored at home).
- 1 reply paid envelope (this is used to post your samples back to the Program's pathology lab).




# ما الذي يوجد في الرزمة؟



مغلف مدفوع أجره البريد عدد 1



كيس يمكن قفله عدد 1



أنبوب حفظ  
العينة عدد 2



غشاء حاجز للمرحاض عدد 2

# Facilitator notes - How to do the test

## STEP 1 – Prepare

1. On one of the tube labels, write your name, date of birth and date the sample was taken.
2. Before collecting your sample, empty your bladder (do a wee) and flush the toilet.
3. Put the toilet liner over the water in the toilet bowl. The writing should be facing up. If the toilet liner sinks, it's still ok to take the sample, or you can request a new kit.

## STEP 2 – Collect

1. Do your bowel movement onto the toilet liner.
2. Open the collection tube by twisting the green cap.
3. Scrape the tip of the stick over different areas of the surface of the bowel movement. The sample only needs to be tiny – **smaller than a grain of rice**.
4. Put the stick back into the collection tube and click the lid shut. Shake the tube up and down several times. Do not remove the stick again.
5. Flush the toilet liner and bowel movement down the toilet. Wash your hands.

## STEP 3 – Store and repeat

1. Place the tube into one compartment of the ziplock bag.
2. Put the sample in the fridge (**do not freeze**).


**Repeat Steps 1 – 3** with the second collection tube when you have another bowel movement (on the same day, the next day, or as soon as you can).

**Turn over for Step 4.**


# كيفية إجراء الفحص

## الخطوة 1 - استعد

1- اكتب التفاصيل  
على ملصقتي  
الأنبوبين



2- تبول واشطف  
المرحاض



3- ضع الغشاء الحاجز  
للمرحاض فوق الماء




## الخطوة 2 - اجمع


1- تبرّز على الغشاء  
الحاجز للمرحاض



2- افتح أنبوب حفظ  
العينة الأخضر



3- مرّر العود في البراز




4- أعد العود إلى  
الأنبوب وهزه

5- اشطف الغشاء  
الحاجز والبراز في  
المرحاض

## الخطوة 3 - احفظ وكرّر العملية

1- ضع الأنبوب  
في الكيس القابل  
للإقفال  
2- ضعه في البراد  
(المبرد)  
(وليس في الثلاجة)



كرّر القيام بالخطوات  
1-3 باستخدام أنبوب  
حفظ العينة الثاني  
عندما تتبرّز في المرة  
التالية.

# Facilitator notes - Posting the test

## STEP 4 – Send

1. Complete the Participant Details form.
2. Write your name and address on the back of the Reply Paid envelope and sign the front.
3. Put the Participant Details form and the 2 collection tubes (in the sealed ziplock bag) into the Reply Paid envelope and seal it.
4. Take the envelope to a post office **within 24 hours**, or put the envelope in a mail box in the late afternoon (**before 6pm**) using an Australia Post mail box.

## Keeping your samples safe

The samples are sensitive to heat and time.

- The samples must remain cool, so do not leave them in a hot place such as a car.
- Store samples in the fridge but never freeze them.
- Post samples within 24hrs of taking your second sample.
- Post at the post office or, if you need to use a post box, do it in the late afternoon when it is cooler (but before 6pm mail collection)



Consider using a sample bowel screening test kit to demonstrate how to do the test.


# إرسال مواد الفحص بالبريد

## المحافظة على سلامة عيناتك

- احفظها في البرّاد (المبرّد) – لا تتركها في مكان ساخن
- أرسلها خلال 24 ساعة
- أرسلها بتسليمها إلى موظف مكتب البريد أو بوضعها في أحد صناديق البريد في فترة متأخرة من بعد الظهر عندما يكون الجو أبرد (لكن قبل الساعة 6 مساءً)

## الخطوة 4 – أرسل

1- املأ استمارة تفاصيل المشارك



2- اكتب الاسم والعنوان ووقع المغلف



3- ضع الاستمارة والعينتين داخل المغلف



4- أرسلها بالبريد على وجه السرعة

## Facilitator notes - Before you do the test

The test looks for blood in your bowel movement, so delay doing the test if:

- You have haemorrhoids which are bleeding. Wait until your haemorrhoids calm down before you do the test.
- You have your menstrual period. Wait for 3 days after your period before doing the test.
- There is blood in your urine or blood in the toilet bowl. If this happens, see your doctor.
- You are having treatment for bowel problems.
- You are booked for a colonoscopy in the next few weeks or if you have had a colonoscopy in the last 2 years.

**Note:** There is no need to change your normal diet or stop taking any regular prescribed medications before doing the test.

# قبل أن تجري الفحص

يبحث الفحص عن وجود دم في برازك، لذا أُنجز إجراء الفحص إذا:

- كان لديك نزيف بواسير
- لديك الدورة الشهرية
- كان هناك دم في بولك أو في المرحاض
- كنت تتلقَى علاجًا لمشاكل في الأمعاء
- كان لديك موعد لإجراء تنظير للقولون قريبًا
- كان قد أُجري لك تنظير للقولون خلال السنتين الأخيرتين

## Facilitator notes - What happens next?

You will receive a results notification letter in the mail about 2 weeks after you post the samples.

### A negative test result

- If your test is negative it means no blood was found. You don't need to do anything, just do another test in 2 years' time.
- But talk to your doctor if you have any symptoms before your next test. The test is very accurate but a negative result does not mean that you definitely don't have bowel cancer or can never develop bowel cancer.

### A positive test result

- If your test is positive it means blood was found. You will need to see a doctor for a check-up and maybe some more tests.
- **If the test is positive it does not necessarily mean you have cancer.**
- Bleeding may be caused by a number of conditions, including polyps, haemorrhoids or inflammation, and may not be cancer related.
- But it is important to find out why there is blood in your sample.



# ما الذي يحصل بعدئذٍ؟

نتائج الفحص - وما تعنيه:

تعني نتيجة الفحص السالبة  
أنه لم يُعثر على دم.  
أعد الفحص بعد سنتين.

أما نتيجة الفحص الموجبة فتعني أنه  
عُثر على دم. وهذا لا يعني بالضرورة  
أنك مصاب بالسرطان. لكن عليك  
أن تراجع طبيبك لمعرفة سبب وجود  
الدم في برازك.



# Facilitator notes - After a positive test result

After a positive test result, it is important to see your doctor as soon as possible so you can receive a referral for another test, usually a colonoscopy.


- The aim of a colonoscopy is to look inside the bowel and find out why you have blood in your bowel movement.
- During a colonoscopy a doctor inserts a tiny camera into the rectum to look for polyps or cancerous growths.
- You will receive some sedation for the procedure so you won't feel any pain.
- The day before the colonoscopy you will need to have a special drink to help empty your bowel. This will allow the camera a clear view of your bowel. You will need to be near a toilet all day.

## Results

There are a number of possible things that a colonoscopy might find.

- **Nothing (clear)** – No polyps or cancer. You should do the home test kit again in around 4 years' time. A kit will be sent to you by the National Bowel Cancer Screening Program.
- **Polyps** – The doctor will usually remove them when doing the colonoscopy. You will likely need another colonoscopy in 2-5 years.
- **Cancer** – May need surgery or other treatment (to be determined by a doctor).  
**If found early, the chance of successful treatment is very high.**
- **Other conditions** – The colonoscopy may find other bowel conditions.  
Your doctor will follow these up with you.

# إذا كانت نتيجة الفحص موجبة



3- احصل على  
النتائج

2- أجر تنظيرًا  
للقولون

1- راجع طبيبك

## Facilitator notes - For more information

- Visit the Program website at **[www.cancerscreening.gov.au/bowel](http://www.cancerscreening.gov.au/bowel)**.
- Find out when your test will be sent (based on your date of birth) by visiting **[www.cancerscreening.gov.au/eligibility](http://www.cancerscreening.gov.au/eligibility)**.
- Call the Program Info Line on **1800 118 868**, where you can:
  - Check your eligibility for a free kit – confirm the Program has your correct details and find out when your next kit is coming out.
  - Order a new kit (for people who have received a kit in the last 12 months but lost or damaged it).
- If you need help in your language call the Translating and Interpreting Service on **13 14 50**.
- You can access a range of translated materials in 22 languages by visiting **[www.cancerscreening.gov.au/translations](http://www.cancerscreening.gov.au/translations)** (including test kit instructions, an information booklet and invitation/results letters).

# للمزيد من المعلومات

زُر الموقع الإلكتروني التابع للبرنامج الوطني للفحص  
الاستكشافي لسرطان الأمعاء:

[www.cancerscreening.gov.au/bowel](http://www.cancerscreening.gov.au/bowel)

تأكد من الموعد الذي ستتلقَى فيه فحصك:

[www.cancerscreening.gov.au/eligibility](http://www.cancerscreening.gov.au/eligibility)

اتصل على الرقم **1800 118 868** لكي:

- تتأكد ممّا إذا كنت مؤهلاً لرزمة مجانية
  - تطلب رزمة جديدة (إذا فقدت أو أتلفت رزمتك الأصلية)
- أو اتصل بخدمة الترجمة الخطية والشفهية على الرقم  
**13 14 50** (لطلب المساعدة بلغتك)

اطّلع على المواد المترجمة:

[www.cancerscreening.gov.au/translations](http://www.cancerscreening.gov.au/translations)

## Facilitator notes - Summary

**So what are the important take home messages we have learnt today?**

1. Bowel cancer can develop over a long period, without any obvious signs.
2. A screening test can detect changes in your bowel early.
3. If found early, 9 out of 10 bowel cancers can be successfully treated.
4. Do the test when it comes in the post.

## 4 أمور ينبغي تذكرها



- يمكن أن يستغرق سرطان الأمعاء مدة طويلة قبل أن يظهر، وبدون أية دلائل واضحة
- يمكن بالفحص الاستكشافي العثور على التغييرات الحاصلة في أمعائك في مرحلة مبكرة
- إذا اكتُشف سرطان الأمعاء في مرحلة مبكرة فإنه يمكن معالجته بنجاح في 9 من كل 10 حالات
- قم بإجراء الفحص عندما يصلك بالبريد

# Facilitator notes - National cancer screening programs

**Cancer screening is the use of simple tests to look for early signs of cancer, or the conditions that cause cancer.**

- Screening tests can find cancer before you can see or feel any changes to your body. When you find cancers early, they are easier to treat successfully.
- In Australia there are 3 national screening programs. These are for bowel, breast and cervical cancers.
- If you are unsure about doing a screening test, talk to your doctor to help you decide.



# البرامج الوطنية لفحوص السرطان الاستكشافية

الاكتشاف

المبكر بواسطة الفحص  
الاستكشافي ينقذ الحياة

**NATIONAL  
BOWELCANCER**  
SCREENING PROGRAM



*BreastScreen*  
NSW

NATIONAL  
**CERVICAL SCREENING**  
PROGRAM

A joint Australian, State and Territory Government Program

## Facilitator notes - Breast screening

Women aged 50-74 should have a mammogram every 2 years.


- Mammograms through BreastScreen NSW are free and a doctor's referral is not needed.
- A mammogram (also called a breast x-ray) is the best way to find breast cancer early before it can be seen or felt.
- Almost all women who find their breast cancer in the early stages will get better and get back to their normal lives.
- Most women diagnosed with breast cancer do not have a family history.
- All staff at the breast screening appointment will be female.
- Call **13 20 50** to book a free BreastScreen appointment. There are many sites available so you can choose a date, time and location that suits you.
- Call **13 14 50** if you need someone who speaks your language to help you book the appointment.

# الفحص الاستكشافي للثدي

على النساء اللواتي  
يبلغن 50-74 سنة من  
العمر إجراء تصوير لأثدائهن  
كل سنتين.

BreastScreen NSW فحص مجاني ولا تلزم له إحالة من الطبيب.

اتصلي على الرقم 13 20 50 لتحديد موعد أو على الرقم 13 14 50 للاستعانة بمترجم شفهي.



## Facilitator notes - Cervical screening

- Women aged 25-74 should have cervical screening every 5 years.
- You can book a Cervical Screening Test with your local doctor or nurse. You don't need to go to a specialist doctor.
- Some doctors provide this for free. You can ask about the cost when you book an appointment.
- You can ask for a female doctor or nurse to perform the test.
- Cervical cancer can be prevented by having the Cervical Screening Test, because it looks for an infection which causes cervical cancer.
- **Book an appointment with your doctor or nurse.**

**Note:** If it's been more than 2 years since your last Pap test or you have never had a test before, you should book an appointment as soon as possible. If the result is normal you will then be due for your next test in 5 years' time.

# الفحص الاستكشافي لعنق الرحم

على النساء اللواتي  
يبلغن 25-74 سنة  
من العمر إجراء فحص  
استكشافي لعنق الرحم  
كل 5 سنوات.

يمنع الفحص الاستكشافي لعنق الرحم بروز سرطان عنق  
الرحم وذلك بالعثور على الالتهاب الذي يسببه.

حدّدي موعدًا مع طبيبك أو ممرّضك.





**Cancer Institute NSW**

---

cancer.nsw.gov.au  
PO Box 41, Alexandria, NSW 1435  
t +61 (0)2 8374 5600  
e CINSW-bowelscreening@health.nsw.gov.au  
© Cancer Institute NSW 2018

**SHPN:** (CI) 180704  
**ISBN:** 978-1-76081-018-4 (print)  
**ISBN:** 978-1-76081-019-1 (web)